
OUTDOOR CREATIONS, INC.

SCALE: 1" = 24"

MAN. TOL. +/- 1/4"

CUSTOMER APPROVAL x

DRAWN BY: MNC



Notes

- Concrete mix design to include a mixture of Portland Cement, water, coarse and fine aggregates, pure mineral oxide coloring agents (when applicable) to yield a minimum compressive strength of 5000 psi.
- Final product shall be reinforced with #4 and #5 rebar grid.
  Product is shipped as 1-piece with no assembly required.
- Hairline cracks may develop over time. These are not structural failures, but inherent characteristics of the material itself.
- 5. Air pockets are a common occurrence in precast products. The frequency and size of air pockets are variable and to be expected, especially on vertical surfaces.
- 6. Concrete corners and edges will chip if not handled according to guidelines. Patch kits are available but may or may not blend and can be variable.
- 7. There is a level of care and maintenance associated with your product and is the responsibility of the end user. Choosing the right sealer can help minimize those costs.

BENCH INSTALLATION::

This bench model will have cast in threaded inserts in the bottom of each leg. Bench will be supplied with coilrod for mechanical attachment, as an additional security method.

\*\*Bench requires epoxy applied to cover bottom of entire leg. Epoxy adhesive should be checked periodically to ensure continued adhesion. \* (2) 3/4" x 8" coilrods provided per bench for mounting

\*Bench MUST be mechanically attached.

\*\*Offered in the following textures: Light Sandblast Medium Sandblast Heavy Sandblast WEIGHT: 1200 LBS TEXTURE:

COLOR: SEALER:



## OUTDOOR CREATIONS INC.

2270 Barney Street Anderson, CA 96007 (530) 365-6106 FAX (530) 365-5129